


#6



<110> Lo, Dennis Yuk Ming
Poon, Lit Man
Chinese University of Hong Kong

<120> Methods for Detecting DNA Originating From Different Individuals

<130> 016285-002500US

COPY OF PAPERS
ORIGINALLY FILED

<140> US 09/944,951

<141> 2001-08-31

<160> 11

<170> PatentIn Ver. 2.1

<210> 1

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:androgen receptor gene methylated sequence methylation-specific PCR (MSP) primer M-for

<400> 1

gcgagcgtat tatttttcgg c

21

<210> 2

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:androgen receptor gene methylated sequence methylation-specific PCR (MSP) primer M-rev

<400> 2

aacccaaataaa cctataaaaac ctctacg

27

<210> 3

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:androgen receptor gene unmethylated sequence methylation-specific PCR (MSP) primer U-for

<400> 3

gttgtgagtg tagtatttt tggt

24

```

<210> 4
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:androgen
      receptor gene unmethylated sequence
      methylation-specific PCR (MSP) primer U-rev

<400> 4
caaataaacct ataaaacctc taca                                24

<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:single
      nucleotide polymorphism (SNP) within
      differentially methylated region (DMR) of human
      IGF2-H19 region amplification PCR forward primer

<400> 5
ggacggaatt ggttgtagtt                                20

<210> 6
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:single
      nucleotide polymorphism (SNP) within
      differentially methylated region (DMR) of human
      IGF2-H19 region amplification PCR reverse primer

<400> 6
aggcaattgt cagttcagta a                                21

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:single
      nucleotide polymorphism (SNP) site within
      differentially methylated region of human IGF2-H19
      region methylated allele methylation-specific PCR
      (MSP) forward primer M-for

<400> 7
ttaattgggg ttcgttcg                                18

```

<210> 8
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:single nucleotide polymorphism (SNP) site within differentially methylated region of human IGF2-H19 region methylated allele methylation-specific PCR (MSP) reverse primer M-rev

<400> 8
cccgacctaa aaatctaata cga

23

<210> 9
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:single nucleotide polymorphism (SNP) site within differentially methylated region of human IGF2-H19 region unmethylated allele methylation-specific PCR (MSP) forward primer U-for

<400> 9
ggtttgttg tggaaatgtt tt

22

<210> 10
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:single nucleotide polymorphism (SNP) site within differentially methylated region of human IGF2-H19 region unmethylated allele methylation-specific PCR (MSP) reverse primer U-rev

<400> 10
cccaaacctaa aaatctaata caa

23

<210> 11
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:primer extension assay Cys-5-labeled primer

<400> 11
gggttatttg ggaataggat attta

25